



index

40 x 40	Page	6
60 x 60	Page	10
20 x 120	Page	16
35 x 120	Page	20
100x100	Page	26
80 x 160 polished	Page	32
80 x 160 matt	Page	42
80 x 160 3D surface	Page	56
120x120	Page	64
120x240	Page	70
120x270	Page	76
120x300 matt	Page	88
120x300 polished	Page	100
120x300 3D surface	Page	114
160x320	Page	134
TECHNICAL SPECIFICATION	Page	142



3D surface





HAMILA
TILE CO.



40X40


DOSIMO	8
ARIZONA	8
PIETRA LIGHT GRAY	8
PIETRA DARK GRAY	8

ARIZONA



40x40 cm

Outdoor



OUR 40X40 CM CERAMIC TILES ARE SPECIFICALLY DESIGNED FOR OUTDOOR ENVIRONMENTS. THEY OFFER EXCELLENT DURABILITY AND RESISTANCE TO WEATHER CONDITIONS, MAKING THEM AN IDEAL CHOICE FOR PATIOS, WALKWAYS, AND TERRACES. WITH THEIR NON-SLIP SURFACE AND NATURAL LOOK, THESE TILES PROVIDE BOTH SAFETY AND STYLE FOR ANY OUTDOOR SPACES.

**DOSIMO**

Matt
5 Faces
16 mm

**PIETRA DARK GRAY**

Matt
6 Faces
16 mm

**ARIZONA**

Matt
6 Faces
16 mm

**POETRA LIGHT GRAY**

Matt
6 Faces
16 mm





60X60

NORD	12
SUNSET	12
PIETRA DARK GRAY	12
SAVANA	12
PIETRA BEIGE	12
TRAMO 20mm	12
KEVIN BEIGE	14
STONY	14
TRAMO 16mm	14

PIETRA DARK GRAY

60x60 cm

Outdoor



60x60

ADDITIONALLY, OUR 60X60 CM TILES ARE ALSO SUITABLE FOR OUTDOOR USE. THEY ARE CRAFTED TO WITHSTAND HARSH WEATHER CONDITIONS WHILE MAINTAINING THEIR AESTHETIC APPEAL. THESE TILES ARE PERFECT FOR LARGER OUTDOOR AREAS SUCH AS GARDENS, POOL DECKS, AND DRIVEWAYS, OFFERING A BLEND OF FUNCTIONALITY AND ELEGANCE.



NORD

Matt - 3D Surface
4 Faces
20 mm



SUNSET

Matt - 3D Surface
6 Faces
20 mm



TRAMO

Matt - 3D Surface
10 Faces
20 mm



SAVANA

Matt - 3D Surface
6 Faces
16 mm



PIETRA DARK GRAY

Matt - 3D Surface
8 Faces
16 mm



PIETRA BEIGE

Matt - 3D Surface
8 Faces
16 mm



Floor Nord 60x60 matt



Floor Tramo 60x60 matt

60x60 cm

Outdoor



**KEVIN
BEIGE**

Matt- 3D Surface
5 Faces
16 mm



TRAMO

Matt - 3D Surface
10 Faces
16 mm



STONY

Matt- 3D Surface
6 Faces
16 mm



Floor: Pietra Beige 60x60 matt



Floor: Pietra Dark Gray 60x60 matt



20X120

BALSA	18
NOVA	18
AFRA	18
DECO WOOD	18
DECO CHERRY	18

BALSA

20x120 cm Wood Effect  12 mm

THE 20x120 CM WOOD-EFFECT CERAMIC TILES ARE DESIGNED TO BRING THE NATURAL WARMTH AND ELEGANCE OF WOOD INTO MODERN SPACES WITH DURABILITY AND MINIMAL MAINTENANCE. THEY ARE COMMONLY AVAILABLE IN SHADES RESEMBLING OAK OR CEDAR, CAPTURING THE DETAILED GRAIN AND KNOTS FOR AN AUTHENTIC WOOD-LIKE FEEL. MANY MODELS COME WITH A MATTE FINISH, 3D RELIEFS, NATURAL LOOK, IDEAL FOR AREAS LIKE LIVING ROOMS, HALLWAYS, AND KITCHENS.



BALSA
3D Surface
10 Faces
12 mm



NOVA
3D Surface
14 Faces
12 mm



AFRA
3D Surface
10 Faces
12 mm



DECO CHERRY
3D Surface
12 Faces
12 mm



DECO WOOD
3D Surface
12 Faces
12 mm



Wall: Deco Wood 20x120 3D Surface



Floor: Balsa 20x120 3D Surface



35X120

ARIZONA	22
DOSIMO	22
KEVIN BEIGE	22
PIETRA BEIGE	22
PIETRA GRAY	22
SKY	22
ALBERTA	22



35x120 cm

With 17x120 cm stair riser

**ARIZONA**


Matt
4 Faces
20 mm

**ALBERTA**

Matt
6 Faces
20 mm

**DOSIMO**

Matt
5 Faces
20 mm

**KEVIN BEIGE**

Matt
5 Faces
20 mm

**PIETRA GRAY**

Matt
4 Faces
20 mm

**PIETRA BEIGE**

Matt
5 Faces
20 mm

**SKY**

Matt
6 Faces
20 mm

THEY ARE DESIGNED FOR OUTDOOR AND INDOOR, HEAVY-USE AREAS DUE TO THEIR **EXCLUSIVE THICKNESS** AND ARE MADE FROM PORCELAIN TO ENSURE LONGEVITY UNDER FOOT TRAFFIC AND EXPOSURE TO ELEMENTS. THE INCREASED THICKNESS NOT ONLY SUPPORTS STRUCTURAL STABILITY BUT ALSO ENHANCES SLIP RESISTANCE AND IMPACT RESISTANCE, WHICH IS ESSENTIAL IN STAIR INSTALLATIONS.

THESE STAIR TILES ALSO PROVIDE VERSATILE AESTHETIC OPTIONS, OFTEN COMING IN VARIOUS FINISHES SUCH AS STONE, GRANITE, AND WOOD-LOOK TEXTURES THAT COMPLEMENT BOTH MODERN AND TRADITIONAL SETTINGS. FINISHES LIKE MATTE OR ANTI-SLIP ARE COMMONLY PREFERRED TO ENSURE SAFETY, ESPECIALLY IN HIGH-TRAFFIC PUBLIC OR OUTDOOR SPACES.



Stairs: Dosimo 35x120 matt




100x100

ALVIN	28
KANZAS BONE	28
LUCA	28
NIRA	28
ROBEN LIGHT GRAY	28
CALACATTA GOLD	28
KANZAS ANTHRACITE	30
VICTORIA	30
CELIN	30

OCEAN IVORY

100x100 cm

Indoor Outdoor



Our 100x100 cm tiles, with a thickness of 10 mm, are versatile options suitable for both indoor and outdoor applications. Their substantial size and durability make them ideal for creating spacious, seamless surfaces. Perfect for living rooms, lobbies, and outdoor patios, these tiles combine strength with a refined, modern look that enhances any space.



ALVIN
Polished
4 Faces
10 mm



KANZAS BONE
Matt
6 Faces
10 mm



LUCA
Polished
5 Faces
10 mm



Nira
Polished
5 Faces
10 mm



CALACATTA GOLD
Polished
4 Faces
10 mm



ROBEN LIGHT GRAY
Matt
8 Faces
10 mm




Floor: Nira 100x100 polished
Wall: Ocean Light Gray 120x300 matt

100x100 cm



CELIN
Polished
4 Faces
9 mm



**KANZAS
ANTHRACITE**
Matt
4 Faces
10 mm



VICTORIA
Polished
10 Faces
10 mm



Floor: **Celin** 100x100 polished



80x160

quadrato

ARAN	36
CALCATA GOLD	36
DENIS	36
LUNAR	36
NIRA	38
OPAL	38
SATIN	38
TORANO	38
PIETRA BLACK	40
SALENTO	40

TORANO

80x160 cm
POLISHED

Indoor Facades

→ ← 9 mm



WALL & FLOOR SATIN 80x160 polished

THE 80X160 CM CERAMIC TILES, ARE PERFECT FOR CREATING A MODERN, EXPANSIVE FEEL IN LARGE SPACES. FOR MONOCOLOR TILES, COMMON CHOICES INCLUDE TONES LIKE BLUE, GREEN, AND GRAY, WHICH OFFER A CLEAN, UNIFORM LOOK IDEAL FOR HOSPITALS AND HEALTHCARE FACILITIES.

THE MINIMAL GROUT LINES REDUCE DUST AND BACTERIAL BUILDUP, SUPPORTING HIGH HYGIENE STANDARDS.

FOR NON-MONOCOLOR OPTIONS, DESIGNS SUCH AS MARBLE EFFECTS PROVIDE A LUXURIOUS AESTHETIC. THIS VARIETY MAKES THEM SUITABLE FOR UPSCALE RESIDENTIAL, COMMERCIAL, AND HOSPITALITY SPACES WHERE BOTH DURABILITY AND AESTHETIC APPEAL ARE ESSENTIAL.

80x160 cm Polished



ARAN

Polished
4 Faces
9 mm



CALACATTA GOLD

Polished
4 Faces
9 mm



DENIS

Polished
4 Faces
9 mm



LUNAR

Polished
5 Faces
9 mm



Floor: **Denis** 80x160 Polished



Floor: **Opal** 80x160 Polished

80x160 cm Polished



NIRA

Polished
4 Faces
9 mm



SATIN

Polished
4 Faces
9 mm



OPAL

Polished
4 Faces



TORANO

Polished
4 Faces
9 mm



Wall: Lunar 80x160 Polished



Floor: Nira 80x160 Polished

80x160 cm Polished



SALENTO

Polished

5 Faces

9 mm



PIETRA BLACK

Polished

5 Faces

9 mm



Floor & Decor: Pietra Black 80x160 Polished



80x160

MATT

KANZAS ANTHRACITE	46
KANZAS DARK GRAY	46
KANZAS LIGHT GRAY	46
ZIKA	46
PLAZZA DARK GRAY	48
PLAZZA LIGHT GRAY	48
STORM DARK GRAY	48
STORM LIGHT GRAY	48
OCEAN ANTHRACITE	50
OCEAN LIGHT GRAY	50
PIETRA BLACK	50
AQUA DARK BLUE	52
AQUA LIGHT BLUE	52
MINT GREEN	52
COLOR BODY DARK GRAY	54
COLOR BODY GRAY	54
PONZA BONE	54

PIETRA BLACK

80x160 cm
MATT

Indoor Facades

→ 9 mm ←



Wall: Pietra Black 80x160 matt

THE 80X160 CM CERAMIC TILES, ARE PERFECT FOR CREATING A MODERN, EXPANSIVE FEEL IN LARGE SPACES. FOR MONOCOLOR TILES, COMMON CHOICES INCLUDE TONES LIKE BLUE, GREEN, AND GRAY, WHICH OFFER A CLEAN, UNIFORM LOOK IDEAL FOR HOSPITALS AND HEALTHCARE FACILITIES.

THE MINIMAL GROUT LINES REDUCE DUST AND BACTERIAL BUILDUP, SUPPORTING HIGH HYGIENE STANDARDS.

FOR NON-MONOCOLOR OPTIONS, DESIGNS SUCH AS MARBLE EFFECTS PROVIDE A LUXURIOUS AESTHETIC. THIS VARIETY MAKES THEM SUITABLE FOR UPSCALE RESIDENTIAL, COMMERCIAL, AND HOSPITALITY SPACES WHERE BOTH DURABILITY AND AESTHETIC APPEAL ARE ESSENTIAL.



80x160 cm Matt



**KANZAS
DARK GRAY**

Matt
3 Faces
9 mm



**KANZAS
LIGHT GRAY**

Matt
3 Faces
9 mm



**KANZAS
ANTHRACITE**

Matt
3 Faces
9 mm



ZIKA

Matt
3 Faces
9 mm



Floor: **Balsa** 20x120 Matt
Wall: **Zika** 80x160 Matt

80x160 cm Matt



**PLAZZA
DARK GRAY**

Matt
4 Faces
9 mm



**PLAZZA
LIGHT GRAY**

Matt
4 Faces
9 mm



**STORM
DARK GRAY**

Matt - 3D Surface
4 Faces
9 mm



**STORM
LIGHT GRAY**

Matt - 3D Surface
4 Faces
9 mm



Wall & Floor: **Plazza Light** 80x160 Matt

80x160 cm Matt



**OCEAN
LIGHT GRAY**

Matt
5 Faces
9 mm



**OCEAN
ANTHRACITE**

Matt
5 Faces
9 mm



PIETRA BLACK

Matt - Color Body
5 Faces
9 mm



Wall & Floor: **Levanto** 80x160 Matt

80x160 cm Matt

**MINT GREEN**

Matt - Color Body

1 Face

9 mm

**AQUA DARK BLUE**

Matt - Color Body

1 Face

9 mm

**AQUA LIGHT BLUE**

Matt - Color Body

1 Face

9 mm



Wall: Aqua Dark Blue 80x160 Matt

80x160 cm Matt



**COLOR BODY
GRAY**

Matt - Color Body
1 Face
9 mm



**COLOR BODY
DARK GRAY**

Matt - Color Body
1 Face
9 mm



PONZA BONE

Matt
5 Face
9 mm



Wall Color Body Gray 80x160 Matt



80x160

877-467-6153

ARMANI GREEN	60
LEVANTO	60
PONZA GRAY	60
CEPPO GRAY	62
VIOLET BONE	62
VIOLET GRAY	62
KEIVO BONE	62

KEIVO BONE

80x160 cm
3D SURFACE

Indoor Facades

→ 9 mm ←



THE 80X160 CM CERAMIC TILES, ARE PERFECT FOR CREATING A MODERN, EXPANSIVE FEEL IN LARGE SPACES. FOR MONOCOLOR TILES, COMMON CHOICES INCLUDE TONES LIKE BLUE, GREEN, AND GRAY, WHICH OFFER A CLEAN, UNIFORM LOOK IDEAL FOR HOSPITALS AND HEALTHCARE FACILITIES.

THE MINIMAL GROUT LINES REDUCE DUST AND BACTERIAL BUILDUP, SUPPORTING HIGH HYGIENE STANDARDS.

FOR NON-MONOCOLOR OPTIONS, DESIGNS SUCH AS MARBLE EFFECTS PROVIDE A LUXURIOUS AESTHETIC. THIS VARIETY MAKES THEM SUITABLE FOR UPSCALE RESIDENTIAL, COMMERCIAL, AND HOSPITALITY SPACES WHERE BOTH DURABILITY AND AESTHETIC APPEAL ARE ESSENTIAL.

80x160 cm Matt

**ARMANI GREEN**

Matt - 3D Surface
5 Faces
9 mm

**LEVANTO**

Matt - 3D Surface
5 Faces
9 mm

**PONZA GRAY**

Matt - 3D Surface
5 Faces
9 mm




Wall & Floor: Levanto 80x160 3d surface

80x160 cm Matt

**VIOLET BONE**

Matt
5 Faces
9 mm

**VIOLET GRAY**

Matt - 3D Surface
5 Faces
9 mm

**KEIVO BONE**

Matt - 3D Surface
1 Faces
9 mm

**CEPPO GRAY**

Matt - Color Body
1 Faces
9 mm



Wall: Keivo Bone 80x160 3d surface
Floor: Keivo Bone 60x60 Matt




120X120

DARK CLIFF	66
LUCID ONYX	66
OCEAN GRAY	66
ONYX PERLA	66
OCEAN LIGHT GRAY	66
VICTORIA	66
ALPEN	68
LANA	68
MARFIL	68
ONYX SHELLY	68
KANZAS LIGHT GRAY	68

OCEAN LIGHT GRAY

120x120 cm

Indoor



THE 120x120 CM CERAMIC TILE IS A PREMIUM CHOICE, IDEAL FOR CREATING SPACIOUS AND COHESIVE AESTHETICS THAT WORK EXCEPTIONALLY WELL IN BOTH RESIDENTIAL AND COMMERCIAL ENVIRONMENTS.

**DARK CLIFF**

Matt
6 Faces
9 mm

**LUCID ONYX**

Polished
8 Faces
9 mm

**OCEAN GRAY**

Matt
8 Faces
9 mm

**ONYX PERLA**

Polished
12 Faces
9 mm

**OCEAN LIGHT GRAY**

Matt
8 Faces
9 mm

**VICTORIA**

Polished
9 Faces
9 mm




Floor: Ocean GRAY 120x120 - matt



Floor: Onyx Perla 120x120 - polished

120x120 cm

Indoor

**LANA**

Matt
6 Faces
9 mm

**MARFIL**

Matt
6 Faces
9 mm

**KANZAS
LIGHT GRAY**

Matt
6 Faces
9 mm

**ALPEN**

Polished
5 Faces
9 mm

**ONYX SHELLY**

Polished
8 Faces
9 mm



Floor: Marfil 120x120 Matt



120X240

LIGHT CLIFF

74

PIETRA DARK GRAY

74

VOLCANO

74


STATUARIO

120x240 cm

Indoor

Facades

Decors



Floor: Prag 120x240 - polished

THESE SLABS ARE WELL-SUITED FOR HIGH-TRAFFIC AREAS IN BOTH RESIDENTIAL AND COMMERCIAL ENVIRONMENTS. IN TERMS OF FUNCTIONALITY, 120X240 CM SLABS CAN BE INSTALLED VERTICALLY TO EMPHASIZE HEIGHT OR HORIZONTALLY TO VISUALLY WIDEN SPACES, ADDING VERSATILITY TO THE DESIGN TOOLKIT. THEIR THIN PROFILES, COMMONLY AROUND 9MM, ALLOW THEM TO BE USED ON WALLS, FLOORS, AND EVEN AS CLADDING FOR FURNITURE, RESULTING IN A COHESIVE AND SOPHISTICATED LOOK THROUGHOUT A PROJECT.

120x240 cm

**LIGHT CLIFF**

Matt
2 Faces
9 mm

**PIETRA
DARK GRAY**

Semi Polished
4 Faces
9 mm

**VOLCANO**

Polished
4 Faces
9 mm



Wall & Floor: Volcano 120x240 polished



Wall & Floor: Light Cliff 120x240 matt



120X270

CALACATTA GOLD	80
ONYX PERLA	80
LUCID ONYX	80
PIETRA	82
SANTINO	82
VICTORIA	82
AMBER	84
OCEAN IVORY	84
ONYX SHELLY	84
TRAVERTINE	84
OCEAN LIGHT GRAY	86
CALMA	86



PIETRA

120x270 cm

Indoor

Facades

Decors



Wall & Floor: Calacatta Gold 120x270 polished

THESE TILES ARE PARTICULARLY POPULAR FOR CREATING STATEMENT WALLS IN LIVING AREAS OR EXPANSIVE FLOORING IN LARGE, OPEN SPACES, GIVING AN UNINTERRUPTED FLOW THAT VISUALLY ENLARGES THE ROOM.

THE 120X270 CM SLABS OFTEN COME IN NATURAL TEXTURES SUCH AS MARBLE, STONE, OR CONCRETE, DELIVERING A REFINED AESTHETIC AND TIMELESS ELEGANCE.

120x270 cm Polished



CALACATTA GOLD

Available in random face and bookmatch

Polished
4+2 Faces
9 mm



ONYX PERLA

Polished
6 Faces
9 mm



LUCID ONYX

Polished
5 Faces
9 mm



Wall Lucid Onyx 120x270 polished

120x270 cm

**PIETRA**


Semi Polished
4 Faces
9 mm

**SANTINO**

Polished
8 Faces
9 mm

**VICTORIA**

Sugar Matt
5 Faces
9 mm

Wall & Stairs: **Pietra** 120x270 semi polishedFloor & Wall: **Santino** 120x270 polished

120x270 cm

**AMBER**

3D Surface
5 Faces
9 mm

**ONYX SHELLY**

Polished
5 Faces
9 mm

**TRAVERTINE**

3D Surface
4 Faces
9 mm

**OCEAN IVORY**

MATT
4 Faces
9 mm



Floor, Amber 120x270 3D Surface

120x270 cm

**OCEAN LIGHT GRAY**

MATT
4 Faces
9 mm

**CALMA**

MATT
8 Faces
9 mm



Wall: Onyx Shelly 120x270 Polished



120X300 MATT


OCEAN GREEN	92
OCEAN BLUE	92
OCEAN ANTHRACITE	92
OCEAN IVORY	92
OCEAN PINK	94
OCEAN GOLD	94
OCEAN LIGHT GRAY	94
CALMA	94
PIETRA BLACK	96
VICTORIA	96
MARGARITA	96
ROYALTY	96



RAMA IMPERIAL

120x300 cm
MATT

Indoor Facades Decors



Wall Pietra Black 120x300 Matt

THE 120X300 CM MATTE-FINISH SLABS BRING A UNIQUE ABILITY TO INTEGRATE SEAMLESSLY ACROSS DIFFERENT ENVIRONMENTS, FROM COMMERCIAL SPACES TO SERENE RESIDENTIAL INTERIORS.

BEYOND THEIR MINIMALIST LOOK, THESE SLABS ARE CRAFTED TO HAVE A SUBTLE, LOW-REFLECTIVE SURFACE THAT ADAPTS BEAUTIFULLY TO BOTH NATURAL AND ARTIFICIAL LIGHTING, CREATING A CONSISTENT AND CALMING ATMOSPHERE THROUGHOUT THE DAY.

THE MATTE TEXTURE ALSO PROVIDES A SENSE OF WARMTH AND APPROACHABILITY THAT IS PERFECT FOR OPEN-PLAN LIVING SPACES, WHERE SEAMLESS TRANSITION BETWEEN INDOOR AND OUTDOOR SETTINGS IS DESIRED.

120x300 cm Matt

**OCEAN GREEN**Matt
4 Faces
9 mm**OCEAN BLUE**Matt
4 Faces
9 mm**OCEAN ANTHRACITE**Matt
4 Faces
9 mm**OCEAN IVORY**Matt
4 Faces
9 mmFloor: Amber 120x300 3D Surface
Wall: Ocean Anthracite 120x300 matt

120x300 cm Matt



OCEAN GOLD

Matt
4 Faces
9 mm



OCEAN PINK

Matt
4 Faces
9 mm



**OCEAN
LIGHT GRAY**

Matt
4 Faces
9 mm



CALMA

MATT
8 Faces
9 mm



WM: Ocean Pink 120x300 matt

120x300 cm Matt

**PIETRA BLACK**

Matt
5 Faces
9 mm

**VICTORIA**

Matt
7 Faces
9 mm

**MARGARITA**

Matt
2 Faces
9 mm

**ROYALTY**

Matt
2 Faces
9 mm



Wall & Floor: Rama Imperial 120x300 matt.



SILVERN

The 'Silvern' ceramic slab is an embodiment of natural elegance and rugged beauty. Its subtle silver-grey tones, accented by warm golden veins, evoke the charm of sunlit rocks remains at sunset. This design seamlessly blends sophistication with a touch of wilderness, making it perfect for both contemporary and rustic interiors. It brings a sense of natural harmony and timeless appeal to any space.



120X300

POLISHED


NEOLITH GOLD	104
NEOLITH BLUE	104
SANTINO	104
GEM MAX	104
MAXIM GOLD	106
MAXIM ROYAL	106
MAXIM GREEN	106
SILVERN	106
TIFFANY	108
VICTORIA	108
DIVA BLACK	108
CALACATTA GOLD	108
ENZO	110
PIETRA BLACK	110
ONYX GARNET	110
ONYX SKY	110
RAMA GRAY	112
ONYX PERLA	112
LIVerno	112
LUCID ONYX	114
ONYX SHELLY	114



ONYX GREEN

120x300 cm
POLISHED

Indoor Facades Decors



Wall: Liverno 120x300 polished
Floor: Amber Line 120x300 3D Surface

THE POLISHED FINISH ADDS A SLEEK, GLOSSY LAYER THAT BRINGS OUT THE FULL RICHNESS OF THE SLAB'S PATTERNS AND COLORS, MAKING THESE SLABS A PREFERRED CHOICE FOR HIGH-END APPLICATIONS SUCH AS UPSCALE HOTELS, LUXURY RESIDENCES, AND COMMERCIAL SPACES.

DUE TO THE SMOOTH SURFACE, THEY ARE INCREDIBLY EASY TO CLEAN, ADDING TO THEIR PRACTICALITY IN ENVIRONMENTS WHERE HYGIENE AND CLEANLINESS ARE ESSENTIAL, SUCH AS KITCHENS AND BATHROOMS.

120x300 cm Polished



NEOLITH GOLD
Available in random face and bookmatch
Polished
3+2 Faces
9 mm



NEOLITH BLUE
Available in bookmatch
Polished
2 Faces
9 mm



SANTINO
Polished
8 Faces
9 mm



GEM MAX
Polished
8 Faces
9 mm



Wall: Neolith Gold Bookmatch 120x300 polished



Wall & floor: Neolith Blue Bookmatch 120x300 polished

120x300 cm Polished



MAXIM ROYAL

Available in random face and bookmatch

Polished
4+2 Faces
9 mm



MAXIM GOLD

Available in random face and bookmatch

Polished
4+2 Faces
9 mm



MAXIM GREEN

Available in random face and bookmatch

Polished
4+2 Faces
9 mm



SILVERN

Available in random face and bookmatch

Polished
2 Faces
9 mm



Wall Maxim Gold Random, 120x300 polished

120x300 cm Polished



TIFFANY

Polished
5 Faces
9 mm



VICTORIA

Polished
7 Faces
9 mm



DIVA BLACK

Polished
2 Faces
9 mm



CALACATTA GOLD

Polished
7 Faces
9 mm



Wall: Silver Bookmatch 120x300 polished

120x300 cm Polished



ONYX SKY

Polished
4 Faces
9 mm



ONYX GARNET

Polished
4 Faces
9 mm



PIETRA BLACK

Polished - Color Body
5 Faces
9 mm



ENZO

Polished - Star Glaze
1 Face
9 mm



Wall & Countertop: **Onyx Blue** 120x300 polished

120x300 cm Polished



LIVERNO

Polished
6 Faces
9 mm



RAMA GRAY

Polished
6 Faces
9 mm



ONYX PERLA

Polished
6 Faces
9 mm



Wall: Rama Gray 120x300 polished



Wall: Liverno 120x300 polished

120x300 cm Polished



LUCID ONYX

Polished
5 Faces
9 mm



ONYX SHELLY

POLISHED
5 Faces
9 mm



120X300

24x36 IN


CEPPO LIGHT	120
CEPPO DARK	120
CARRARA	120
KEIVO	120
AMBER LINE	122
AMBER	122
TERRAZZO GRAY	122
TERRAZZO LIGHT	122
FLORIAN	124
LAVAN	124
OCEAN METAL	124
ROSA	124
VENTO BONE	126
VENTO ANTHRACITE	126
OCEAN GRAY	126
PONZA ANTHRACITE	126
ROVER GRAY	128
MAJESTIC	128
ROVER GREEN	128
NOVITA	128
TRAVERTINE	130
SABA BONE	130
SABA GRAY	130
SABA ANTHRACITE	130
TITAN	132
DESERT	132
VALERIA	132
GEM MAX	132



PONZA ANTHRACITE

120x300 cm
3D SURFACE

Indoor Facades Decors → 9 mm



Wall : Vento Anthracite 120x300 3D Surface

FOR 120X300 CM CERAMIC SLABS, THE **3D TEXTURED SURFACE** TECHNIQUE OFFERS REMARKABLE DESIGN POTENTIAL FOR HIGH-END ARCHITECTURAL AND INTERIOR APPLICATIONS.

THESE SLABS CATER TO LUXURY AESTHETICS BY MIMICKING NATURAL TEXTURES LIKE STONE, MARBLE, AND CONCRETE, CREATING AN IMMERSIVE TACTILE EXPERIENCE.


KNOWN FOR THEIR CONTINUITY IN DESIGN AND MINIMAL JOINT LINES, THEY ARE IDEAL FOR CREATING SPACIOUS, VISUALLY SEAMLESS ENVIRONMENTS, OFTEN IN SPACES WHERE IMPACT, DURABILITY, AND VISUAL SOPHISTICATION ARE PARAMOUNT.

120x300 cm 3D Surface



CEPPPO LIGHT

3D Surface
6 Faces
9 mm



CEPPPO DARK

3D Surface
6 Faces
9 mm



CARRARA

3D Surface
4 Faces
9 mm



KEIVO

3D Surface
6 Faces
9 mm



120x300 cm 3D Surface



AMBER LINE

3D Surface
5 Faces
9 mm



AMBER

3D Surface
5 Faces
9 mm



TERRAZZO GRAY

3D Surface
5 Faces
9 mm



TERRAZZO LIGHT

3D Surface
5 Faces
9 mm



Wall & Floor: Terrazzo Light 120x300 3D Surface



Wall & Floor: Amber 120x300 3D Surface

120x300 cm 3D Surface



FLORIAN

3D Surface
1 Face
9 mm



OCEAN METAL

3D Surface
4 Face
9 mm



LAVAN

3D Surface
2 Faces
9 mm



ROZA

3D Surface
1 Faces



Wall: Florian 120x300 3D Surface

120x300 cm 3D Surface



VENTO BONE

3D Surface
5 Faces
9 mm



VENTO ANTHRACITE

3D Surface
5 Faces
9 mm



OCEAN GRAY

3D Surface
4 Faces
9 mm



PONZA ANTHRACITE

3D Surface
4 Face
9 mm



Wall: Ocean Gray 120x300 3D Surface



Floor: Vento Bone 120x300 3D Surface

120x300 cm 3D Surface



ROVER GRAY

3D Surface
5 Faces
9 mm



MAJESTIC

3D Surface
4 Faces
9 mm



ROVER GREEN

3D Surface
5 Faces
9 mm



NOVITA

3D Surface
4 Face
9 mm



Decor: Majestic 120x300 3D Surface

120x300 cm 3D Surface



SABIA GRAY

3D Surface
6 Faces
9 mm



SABIA BONE

3D Surface
6 Faces
9 mm



SABIA ANTHRACITE

3D Surface
6 Faces
9 mm



TRAVERTINE

3D Surface
4 Face
9 mm



Floor: Travertine Beige 120x300 3D Surface

120x300 cm 3D Surface



GEM MAX

3D Surface
6 Faces
9 mm



VALERIA

Available in random face and bookmatch

3D Surface
5 Faces
9 mm



Wall: Desert 120x300 3D Surface



TITAN

3D Surface
1 Faces
9 mm



DESERT

3D Surface
5 Faces
9 mm



Wall: Titan 120x300 3D Surface



160X320

AGRIN	138
EMERALD	138
FIDAR GOLD	138
MAXIM GOLD	138
NIMANY	140
PANDA	140
VICTORIA	140



FIDAR GOLD

160x320 cm

Indoor

Decors

→ 9 mm ←



Wall: Fidar Gold, 160x320 polished

THE 160X320 CM SLABS ARE AMONG THE LARGEST FORMATS AVAILABLE IN MODERN CERAMIC DESIGN, PRIZED FOR THEIR VERSATILITY AND IMPRESSIVE SCALE, IDEAL FOR ACHIEVING EXPANSIVE, SEAMLESS SURFACES. KNOWN FOR THEIR SUPERIOR DURABILITY, THESE SLABS COME IN THICKNESSES TYPICALLY BETWEEN 6.5 MM AND 12 MM, MAKING THEM ROBUST ENOUGH FOR HIGH-TRAFFIC AREAS, INCLUDING COMMERCIAL SPACES AND LARGE RESIDENTIAL INSTALLATIONS.

160x320 cm Polished



**AGRIN
BOOKMATCH**

Polished
2 Faces
9 mm



**EMERALD
BOOKMATCH**

Polished
2 Faces
9 mm



**FIDAR GOLD
BOOKMATCH**

Polished
2 Faces
9 mm



**MAXIM GOLD
BOOKMATCH**

Polished
2 Faces
9 mm



Wall: **Agri**n 160x320 polished




Wall: **Emerald** 160x320 polished

160x320 cm Polished



**NIMANY
BOOKMATCH**

Polished
2 Face
9 mm



**PANDA
BOOKMATCH**

Polished
2 Faces
9 mm



**VICTORIA
BOOKMATCH**

Polished
2 Faces
9 mm



Decor: Nimany 160x320 polished




20X120

BALSA	18
NOVA	18
AFRA	18
DECO WOOD	18
DECO CHERRY	18

BALSA

40x40 cm

Outdoor



OUR 40X40 CM CERAMIC TILES ARE SPECIFICALLY DESIGNED FOR OUTDOOR ENVIRONMENTS. THEY OFFER EXCELLENT DURABILITY AND RESISTANCE TO WEATHER CONDITIONS, MAKING THEM AN IDEAL CHOICE FOR PATIOS, WALKWAYS, AND TERRACES. WITH THEIR NON-SLIP SURFACE AND NATURAL LOOK, THESE TILES PROVIDE BOTH SAFETY AND STYLE FOR ANY OUTDOOR SPACES.

**DOSIMO**

Matt
5 Faces
16 mm

**PIETRA DARK GRAY**

Matt
6 Faces
16 mm

**ARIZONA**

Matt
6 Faces
16 mm

**POETRA LIGHT GRAY**

Matt
6 Faces
16 mm



Floor: Arizona 40x40 matt

PORCELAIN CERAMIC
160x160

Floor: Poetra Light Gray 40x40 matt



60X60

NORD	12
SUNSET	12
PIETRA DARK GRAY	12
SAVANA	12
PIETRA BEIGE	12
TRAMO 20mm	12
KEVIN BEIGE	14
STONY	14
TRAMO 16mm	14

PIETRA DARK GRAY

60x60 cm

Outdoor



ADDITIONALLY, OUR 60X60 CM TILES ARE ALSO SUITABLE FOR OUTDOOR USE. THEY ARE CRAFTED TO WITHSTAND HARSH WEATHER CONDITIONS WHILE MAINTAINING THEIR AESTHETIC APPEAL. THESE TILES ARE PERFECT FOR LARGER OUTDOOR AREAS SUCH AS GARDENS, POOL DECKS, AND DRIVEWAYS, OFFERING A BLEND OF FUNCTIONALITY AND ELEGANCE.

**NORD**

Matt - 3D Surface
4 Faces
20 mm

**SUNSET**

Matt - 3D Surface
6 Faces
20 mm

**TRAMO**

Matt - 3D Surface
10 Faces
20 mm

**SAVANA**

Matt - 3D Surface
6 Faces
16 mm

**PIETRA
DARK GRAY**

Matt - 3D Surface
8 Faces
16 mm

**PIETRA
BEIGE**

Matt - 3D Surface
8 Faces
16 mm



Floor Nord 60x60 matt



Floor Tramo 60x60 matt

60x60 cm

Outdoor



KEVIN BEIGE

Matt- 3D Surface
5 Faces
16 mm



TRAMO

Matt - 3D Surface
10 Faces
16 mm



STONY

Matt- 3D Surface
6 Faces
16 mm



Floor Pietra Beige 60x60 matt



Floor Pietra Dark Gray 60x60 matt

Requirements for Dry-pressed Ceramic Tiles With Low Water Absorption of GROUP BI_a (E_b <0.5%)

Requirements for Dimension and Surface Quality and for Physical and Chemical Properties of this Group of Ceramic Tiles Shall be in Accordance With Table G.1

Table G.1 - Requirements for Dry-pressed Ceramic Tiles with Low Water Absorption, GROUP BI_a (E_b <0.5%)

CHARACTERISTICS	Requirements for Nominal size N			Test Method
	7 cm <N < 15 CM	N ≥ 15 cm		
	(mm)	%	(mm)	
A) DIMENTIONS AND SURFACE QUALITY				
A.1 LENGTH AND WIDTH				
The Work Size Shall be Chosen as Follows for:				
a) Modular Tiles:	In order to allow a nominal joint width of between 2 and 5 mm			-
b) Non-modular Tiles:	So that the difference between the work size and normal size is not more than 2% (max 0.5mm)			-
The Permissible Deviation of the Average Size for the Each Tile (2 or 4 Sides) From the Work Size (W)	±0.9 mm	±0.6%	±2.0 mm	EN ISO 10545-2
A.2 THICKNESS				
a) The Thickness Shall be specified	Declared thickness			-
b) The Permissible Deviation, of the Average Thickness of Each Tile from the Work Size Thickness	±0.5 mm	±5%	±0.5 mm	EN ISO 10545-2
A.3 STRAIGHTNESS OF SIDES ^b (Facial Sides)				
The Maximum Permissible Deviation from Straightness, Related to the Corresponding Wok Size	±0.75 mm	±0.5%	±1.5 mm	EN ISO 10545-2
A.4 RECTANGULARITY ^b				
The Maximum Permissible Deviation from Rectangularity, Related to the Corresponding Work Size	±0.75 mm	±0.5%	±2 mm	EN ISO 10545-2
A.5 SURFACE FLATNESS				
The Maximum Permissible Deviation from Flatness				
a) Center Curvature, Related to Diagonal Calculated from Work Size	±0.75 mm	±0.5%	±2 mm	EN ISO 10545-2
b) Edge Curvature, Related to the Corresponding Work Size	±0.75 mm	±0.5%	±2 mm	EN ISO 10545-2
c) Warpage, Related to Diagonal Calculated from the Work Size	±0.75 mm	±0.5%	±2 mm	EN ISO 10545-2
A.6 SURFACE QUALITY:	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.			EN ISO 10545-2
B) PHYSICAL PROPERTIES				
B.1 WATER ABSORPTION (IN % BY MASS)	Eb<0.5 Individual maximum 0.6%			EN ISO 10545-3
B.2 BREAKING STRENGTH, FOR:				
a) Thickness > 7.5 mm	Not less than 1300 N			EN ISO 10545-4
b) Thickness < 7.5 mm	Not less than 700 N			EN ISO 10545-4
B.3 FLEXURAL TENSILE STRENGTH OR MODULUS OF RUPTURE ^c	Minimum 35 N/mm ² Individual minimum 32 N/mm ²			EN ISO 10545-4



CHARACTERISTICS	Requirements for Nominal size N			Test Method
	7 cm <N < 15 CM	N > 15 cm		
	(mm)	%	(mm)	
B) PHYSICAL PROPERTIES				
B.4 ABRASION RESISTANCE				
a) Resistance to Deep Abrasion of Unglazed Tiles: Removed Volume	Maximum 175 mm ³			EN ISO 10545-6
b) Resistance to Surface Abrasion of Glazed Tiles Intended for Use on Floors	Abrasion class and cycles passed			EN ISO 10545-7
B.5 COEFFICIENT OF LINEAR THERMAL EXPANSION				
From Ambient Temperature to 100 °C:	Declared value ^f			EN ISO 10545-8
B.6 THERMAL SHOCK RESISTANCE	Pass according to EN ISO 10545-9 ^g			EN ISO 10545-9
B.7 CRAZING RESISTANCE: Glazed Tiles ^h	Pass according to EN ISO 10545-9 ^g			EN ISO 10545-11 ^g
B.8 FROST RESISTANCE	Pass according to EN ISO 10545-9 ^g			EN ISO 10545-12
B.9 SLIPPERINESS	Declared value(s) ^g			PrCEN/TS 16165:2011 ^g
B.10 BOND STRENGHT / ADHESION ⁱ , FOR:				
a) Cementitious Adhesives ^k	Declared value(s)			EN12004:2007 , 4.1 ^l
b) Dispersion Adhesives ^k	Declared value(s)			EN12004:2007 , 4.2 ^l
c) Reaction Resin Adhesives ^k	Declared value(s)			EN12004:2007 , 4.3 ^l
d) Mortar	Declared value(s)			EN 1015-12 ^l
B.11 MOISTURE EXPANSION (IN mm/m)	Declared value ^l			EN ISO 10545-10
B.12 SMALL COLOR DIFFERENCES ^f FOR:				
a) Glazed Tiles	ΔE <0.75			EN ISO 10545-16
b) Unglazed Tiles	ΔE < 1.0			EN ISO 10545-16
B.13 IMPACT RESISTANCE, as:				
Coefficient of Restitution (COR)	Declared value ^l			EN ISO 10545-5
B.14 REACTION TO FIRE	Class A1 or A1 _{FL} ^m			-
B.15 TACTILITY ⁿ	Declared surface description ^g			CEN/TS 15209 ^g
C) CHEMICAL PROPERTIES				
C.1 RESISTANCE TO STAINING, FOR:				
a) Glazed Tiles	Minimum class 3			EN ISO 10545-14
b) Unglazed Tiles	Declared value ^l			EN ISO 10545-14
C.2 RESISTANCE TO CHEMICAL				
a) Resistance to Low Concentration of Acids and Alkalis	Declared value ^l			EN ISO 10545-13
b) Resistance to High Concentration of Acids and Alkalis	Declared value ^l			EN ISO 10545-13
c) Resistance to Household Chemicals and Swimming Pool Salts	Minimum class B			EN ISO 10545-13
C.3 RELEASE OF DANGEROUS SUBSTANCES				
a) Cadmium (in mg/dm ²)	Declared value ^g			EN ISO 10545-15
b) Lead (in mg/dm ²)	Declared value ^g			EN ISO 10545-15
c) Other Dangerous Substances ^g	Declared value			As Relevant

FAVANIA PORCELAIN TECHNICAL CHARACTERISTICS
EUROPEAN STANDARD EN14411

CHARACTERISTICS	Annex G UGL Group BIIa		Test Method	FAVANIA Test Result
	Requirements for nominal size N>15			
DIMENTION AND SURFACE QUALITY				
Length and width (cm)	N>15 cm	±0.6 % max±2 mm	EN ISO 10545-2	Affirmative
Thickness		±5 % max±0.5 mm	EN ISO 10545-2	Affirmative
Rectangularity		±0.5 % max±2 mm	EN ISO 10545-2	Affirmative
Straightness of sides		±0.5 % max±1.5 mm	EN ISO 10545-2	Affirmative
Surface flatness		±0.5 % max±2 mm	EN ISO 10545-2	Affirmative
PHYSICAL PROPERTIES				
Water absorption (in % by mass)	E _a ≤ 0.5 %	Individual Maximum 0.6 %	EN ISO 10545-3	Affirmative
Breaking strength for thickness 7.5 mm and more	Not less than 1000 N		EN ISO 10545-4	Affirmative
Flexural tensile strength or Modulus of rupture (N/mm ²)	Minimum 35 N/mm ² Individual minimum 32 N/mm ²			Affirmative
Resistance to deep abrasion of unglazed tiles: Removed Volume	Maximum 175 mm ³		EN ISO 10545-6	Affirmative
Coefficient of linear thermal expansion	Declared Value		EN ISO 10545-8	Affirmative
Resistance of thermal shock	Pass according to EN ISO 10545-1		EN ISO 10545-9	Affirmative
Frost Resistance	Pass according to EN ISO 10545-1		EN ISO 10545-12	Affirmative
CHEMICAL PROPERTIES				
Resistance to staining (unglazed tiles)	Declared Value		EN ISO 10545-14	Affirmative
Resistance to the low concentration of acids & alkalis	Declared Value		EN ISO 10545-13	Affirmative
Resistance to the low concentration of acids & alkalis	Declared Value			Affirmative
Resistance to household chemicals & swimming Pool Salts	Minimum class B			Affirmative



"Future thinking, design precision, and unwavering quality - our commitment to you"



HAMILA
TILE CO.



WWW.HAMILAGROUP.COM